

## EAST Search History

| Ref # | Hits    | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|---------|---|--|------------------|---------|------------------|
| L1    | 1       | "20040193652" and applet  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/04/20 14:54 |
| L2    | 1       | "20040193652" and (first or second)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/04/20 14:54 |
| S1    | 1775758 | computer  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/09/29 13:55 |
| S2    | 1636    | ((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @ad<"20031111" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/04/19 14:08 |
| S3    | 447     | S2 and (classifi\$7 or Categoriz\$5)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/09/29 13:59 |
| S4    | 63      | S2 and ((classifi\$7 or Categoriz\$5) with interface\$1)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/10/02 09:28 |
| S5    | 2       | "20040193652"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/09/29 15:04 |

## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S6  | 104  | (databases with ((frequently or often) near5 (updated or accessed)) ) and @ad<"20030801"                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:04 |
| S7  | 104  | (databases with ((frequently or often) near5 (updated or accessed)) ) and @ad<"20030801"                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:28 |
| S8  | 32   | S7 and "707"/.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 08:29 |
| S9  | 1    | "20040193652" and (enumeration or main)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:03 |
| S10 | 0    | "20050102610" and java  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:27 |
| S11 | 2    | "20040193652" and (description or request)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:03 |
| S12 | 1636 | ((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @ad<"20031111" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:07 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S13 | 63  | S12 and ((classifi\$7 or Categoriz\$5) with interface\$1) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 10:21 |
| S14 | 55  | S13 and request\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:09 |
| S15 | 0   | "20050102610" and (preference\$1 or authentica\$5)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:27 |
| S16 | 125 | S12 and (preference\$1 and authentica\$5)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:28 |
| S17 | 8   | S13 and (preference\$1 and authentica\$5)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:49 |
| S18 | 0   | "20030084067" and perference\$1                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:50 |
| S19 | 1   | "20030084067" and preference\$1                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/10/02 09:50 |

## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S20 | 5    | "824251".ap.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/30 14:55 |
| S21 | 2    | "6486895".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/30 15:08 |
| S22 | 2    | "20040193652" and (computer or medium or readable or apparatus or stor\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 14:58 |
| S23 | 6132 | 707/104.1.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 14:09 |
| S24 | 1965 | 707/104.1.ccls. and @ad<"20000401"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:01 |
| S25 | 42   | 707/104.1.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @ad<"20000401"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 14:11 |
| S26 | 103  | 707/100-200.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @ad<"20000401" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 14:12 |

## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S27 | 2    | "6404445".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:03 |
| S28 | 2    | "6738077".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 14:19 |
| S29 | 1    | "20040193652" and (main.or<br>enumeration\$1 or frequent\$2)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 14:58 |
| S30 | 1    | (main with enumeration\$1 with<br>updat\$3) and @ad<"20000401"                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:02 |
| S31 | 0    | (main same enumeration\$1 same<br>entit\$3 same updat\$3) and<br>@ad<"20000401" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:02 |
| S32 | 8    | (main same enumeration\$1 same<br>entit\$3 ) and @ad<"20000401"                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:03 |
| S33 | 3250 | (database with entit\$3 ) and<br>@ad<"20000401"                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:03 |

## EAST Search History

|     |      |  |  |    |     |                  |
|-----|------|--|--|----|-----|------------------|
| S34 | 2    | ((database with entit\$3 ) with updat\$3 with frequent\$2 ) and @ad<"20000401"                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:04 |
| S35 | 8    | (entit\$3 with updat\$3 with frequent\$2 ) and @ad<"20000401"                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:06 |
| S36 | 2050 | ((order\$1 with updat\$3) same address\$2 ) and @ad<"20000401"                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:06 |
| S37 | 46   | (customer\$1 same (order\$1 with updat\$3) same address\$2 ) and @ad<"20000401"                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:07 |
| S38 | 1    | (customer\$1 same (order\$1 with updat\$3) same address\$2 same frequent\$2 ) and @ad<"20000401" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:08 |
| S39 | 46   | (customer\$1 same (order\$1 with updat\$3) same address\$2 ) and @ad<"20000401"                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:16 |
| S40 | 16   | (database same updat\$3 same enumeration\$1 ) and @ad<"20000401"                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:24 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S41 | 760 | (updat\$3 with more with frequent\$2 ) and @ad<"20000401" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:44 |
| S42 | 76  | S41 and "707".clas.                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/19 15:24 |
| S43 | 28  | (main with enumeration\$1) and @ad<"20000401"             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 09:27 |
| S44 | 2   | "20040193652"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 09:27 |
| S45 | 1   | "20040193652" and server\$1                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 09:48 |
| S46 | 2   | "20040193652" and system                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 10:01 |
| S47 | 2   | "6404445".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 10:25 |

## EAST Search History

|     |         |   |  |    |     |                  |
|-----|---------|---|--|----|-----|------------------|
| S48 | 2       | "6763352".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 10:26 |
| S49 | 2       | "6564218".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:11 |
| S50 | 5973267 | "6564218".pn. (order\$1 or customer\$1 or address\$2)                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:11 |
| S51 | 1       | "6564218".pn. and (order\$1 or customer\$1 or address\$2)                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:12 |
| S52 | 2       | "6564218".pn. and (order\$1 or customer\$1 or address\$2 or superset\$1)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:13 |
| S53 | 75      | (customer\$1 and (order\$1 with updat\$3 with frequent\$2) ) and @ad<"20030801" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:37 |
| S54 | 44      | (customer\$1 and (order\$1 with updat\$3 with frequent\$2) ) and @ad<"20000401" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 11:37 |

## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S55 | 2    | "6404445".pn. and (operating or platform\$1 or independent)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:03 |
| S56 | 607  | ( (description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (dependent\$2 or indepent\$2)) )     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:12 |
| S57 | 143  | S56 and @ad<"20000401"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:10 |
| S58 | 0    | ( (description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 ( indepent\$2)) ) and @ad<"20000401" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:12 |
| S59 | 0    | ( (description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 ( indepent\$2)) )                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:12 |
| S60 | 0    | ( (description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 indepent\$2 ) )                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:13 |
| S61 | 1108 | ( (description\$1 or instruction\$1 or method\$1 or code\$1) with (platform?independent ) )                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:14 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S62 | 337 | ( (description\$1 or instruction\$1 )<br>with (platform?independent ) ) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:14 |
| S63 | 83  | S62 and @ad<"20000401"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 12:29 |
| S64 | 2   | "6404445".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 13:13 |
| S65 | 0   | "6404445".pn. and (log?in or (log<br>near2 in) or authentic\$5 )        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 13:15 |
| S66 | 0   | "5898136".pn. and (log?in or (log<br>near2 in) or authentic\$5 )        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 13:16 |
| S67 | 2   | "5898136".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 13:16 |
| S68 | 2   | "5818936".pn. and (log?in or (log<br>near2 in) or authentic\$5 )        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/20 14:52 |